



东林机器
DONGLIN MACHINE

DONGLIN
MACHINE
东林机器

铝塑门窗设备高端定制专家

HIGH-END CUSTOMIZATION EXPERT OF ALUMINUM
PLASTIC DOOR AND WINDOW EQUIPMENT


数控重型组角机 DLCNC-180MMA

此款机器是一款纯数控型组角机，自主产权，专利产品，它不但实现了各种型材转换时各调整环节快速准确的转换，还把调整完成后的组角数据自动存入数据库，下次使用调出即可无需再做调整，可储存100组数据。此款机器整个机械结构改变了全球范围内现有机型的结构模式，主动力不用油不用气，不用担心漏气、漏油及密封圈老化等问题，不但保证进给的完全同步，主动力机械部分可保证长期稳定的工作无磨损、无变形（理论数据可保证20年不变）；此款新型数控组角机可以说是对同类机型的一种颠覆性改变，开创了组角机历史的崭新时代。

DLCNC-180MMA CNC heavy corner crimping machine

This type of machine is a pure CNC corner crimping machine with independent property rights and patent products. It not only realizes the fast and accurate conversion of various adjustment links during the conversion of various profiles, but also automatically stores the adjusted corner data into the database. The next time you use it, you can save 100 sets of data without any further adjustment. The whole mechanical structure of this machine has changed the structure mode of the existing models all over the world. The main power does not need oil or gas, and there is no need to worry about air

long-term and stable work without wear and deformation (the theoretical data can be guaranteed to be unchanged for 20 years); this new type of CNC corner crimping machine is of great value. It can be said that it is a subversive change to the same type of model, creating a new era in the history of corner crimping machine.



设备特点


- 组角刀可单独快速更换，每片刀可任意上下调整高度，有独立的快速夹紧机构，调整刀具可在10秒钟内完成。
- 主定位块无需拆卸就可以在2秒内调整好高度。
- 主进给机构部分长年不间断的运行可保证无磨损、无变形无需做任何调整。
- 可储存多种型材的组角数据，使用时调出即可，可在20秒内更换加工不同型号的型材。
- 采用数控系统，加工精度高，加工效率高。
- 采用数控系统，可实现触摸屏调整和控制，组角的位置及深度无需机械调整。
- 采用数控系统，组角深度可达180mm，可制作大尺寸及壁厚厚的门窗。
- 采用数控系统，可实现角码模式，可根据工人的熟练程度任意选择。
- 采用数控系统，可实现专业的工人操作，操作简单易学，并且不容易出错。

Equipment features

- The corner crimping cutter can be quickly replaced independently. The height of each blade can be adjusted up and down at will. There is an independent quick clamping mechanism. The tool adjustment can be completed within 10 seconds.
- The height of the main positioning block can be adjusted in 2 seconds without disassembly.
- The continuous operation of the main feed structure can ensure no wear, no deformation and no adjustment.
- It can store the corner crimping data of each type of profile and call it out when using. It can change and process different types of profiles in 20 seconds.
- The positioning and feed speed can be adjusted arbitrarily, and the machining efficiency is high.
- All the mechanical feed data and parameters are adjusted and controlled by the touch screen, and the position and depth of the corner crimping do not need mechanical adjustment.
- The range of corner crimping is large, and the height can be up to 180mm. It can be used to make large size and thick wall doors and windows.
- There are two kinds of numerical control angle mode, which can be selected according to the proficiency of workers.
- This machine can be mastered quickly without professional workers, and it is not easy to make mistakes.

型号 Type	输入功率 Input power	输入电源 Input voltage	工作气压 Working pressure	最大加工高度 Welding height	外形尺寸 Outline dimension	重量 Weight
DLCNC-180MMA	6kw/6.4kw	220V 50HZ	0.6~0.8MPa	180mm	L=1900mm W=1200mm H=1800mm	1000Kg

人机关系示意，人高170CM





济南东林机械制造有限公司

地址: 济南市长清区峰山路3988号 邮编: 250117
电话: 0531-69929001 传真: 0531-69929001
手机: 18678863311
E-mail: Donglinjixie808@163.com
网址: <http://www.donglinwfh.com>
无缝焊机·中国
东林机械·中国

服务热线: 400-840-3311

JINAN DONGLIN MACHINERY MANUFACTURE CO.,LTD.

Add: No. 3988 Fengshan Road, Changqing District, Jinan, Shandong, China
P.C.: 250117 Tel: 0086-531-69929001 Fax: 0086-531-69929001
E-mail: Donglinjixie808@163.com 18678863311@163.com
<http://www.donglinwfh.com> 无缝焊机·中国 东林机械·中国
Service Hotline: 400-840-3311